



NO	Product Picture	Product Code	Product Description	SPECIAL EUR
1		UT 2513	<b>Flexible Delineator Post 1000mm</b> Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. <b>Weight : 1,50 ± 0,1</b>	
2		UT 2501	<b>Flexible Delineator Post 750mm</b> Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. <b>Weight : 1,20 ± 0,1</b>	
3		UT 2527	<b>Flexible Delineator Post 750mm</b> Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. <b>Weight : 1,30 ± 0,1</b>	
4		UT 2502	<b>Flexible Delineator Post 450mm</b> Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. <b>Weight : 0,84 ± 0,1</b>	
5		UT 2528	<b>Flexible Delineator Post 450mm</b> Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. <b>Weight : 0,98 ± 0,1</b>	
6		UT 2507	<b>Flexible Delineator Post 300mm</b> Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. <b>Weight : 0,65 ± 0,1</b>	
7		UT 2515	<b>Flexible Delineator Post 750mm (Dia. 90mm)</b> Material : TPU Base diameter : 220 mm. Top diameter : 90 mm. <b>Weight : 1,60 ± 0,1</b>	
8		UT 2516	<b>Flexible Delineator Post 450mm (Dia. 90mm)</b> Material : TPU Base diameter : 220 mm. Top diameter : 90 mm. <b>Weight : 1,10 ± 0,1</b>	
9		UT 2517	<b>Flexible Delineator Post 750mm (Dia. 110 mm)</b> Material : TPU Base diameter : 220 mm. Top diameter : 110 mm. <b>Weight : 1,90 ± 0,1</b>	

10		UT 2505	<b>Flexible Delineator Post 750mm (Dia. 70mm)</b> Material : TPU Base diameter : 200 mm. Top diameter : 70 mm. <b>Weight : 1,20 ± 0,1</b>	
11		UT 2506	<b>Flexible Delineator Post 450mm (Dia. 70mm)</b> Material : TPU Base diameter : 200 mm. Top diameter : 70 mm. <b>Weight :0,84 ± 0,1</b>	
12		UT 2526	<b>Flexible Delineator Post 1000 mm in different Colors</b> Material: TPU Base diameter : 220 mm. Top diameter : 80 mm. Weight : 1,50 ± 0,1	
13		UT2526 W		
14		UT 2512	<b>Flexible Delineator Post 750mm in different Colors</b> Material: TPU Base diameter : 220 mm. Top diameter : 80 mm. Weight : 1,20 ± 0,1	
15		UT 2512 W		
16		UT 2514	<b>Flexible Delineator Post 450mm in different Colors</b> Material : TPU Base diameter : 220 mm. Top diameter : 80 mm. Weight : 0,84 ± 0,1	
17		UT 2514 W		
18		UT 2525	<b>High Performance Delineator 300 mm in different Colors</b> <b>Material : TPU</b> <b>Base diameter : 200 mm.</b> <b>Top diameter : 80 mm.</b> <b>Weight : 0,65 Kg ± 0,01</b>	
19		UT 2525 W		

20		UT 2601	<p><b>Flexible Island Refuge Sign 850 mm - Orange, with Reflective</b></p> <p>Material : TPU, Micro Prismatic  Length : 850 mm. Width : 200 mm.  Weight: 2 ± 0,1 kg</p>	
21		UT 2601WR	<p><b>Flexible Island Refuge Sign 850 mm - Orange - without Reflective</b></p> <p>Material : TPU , Micro Prismatic  Length : 850 mm. Width : 200 mm.  Weight : 2 ± 0,1</p>	
22		UT 2602	<p><b>Flexible Island Refuge Sign 850 mm - Black, with Reflective</b></p> <p>Material : TPU, Micro Prismatic  Length : 850 mm. Width : 200 mm.  Weight : 2 ± 0,1 kg</p>	
23		UT 2602WR	<p><b>Flexible Island Refuge Sign 850 mm - Black, Without Reflective</b></p> <p>Material : TPU, Micro Prismatic  Length : 850 mm.  Width : 200 mm.  Weight: 2 ± 0,1 kg</p>	
24		UT 2606	<p><b>Large Flexible Refuge Warning Sign - Orange, with Reflective</b></p> <p>Material : TPU Height : 1000 mm  Body Width : 300 mm.  Base Width : 300 mm.  Weight : 3,40 Kg + 0,2</p>	
25		UT 2606WR	<p><b>Large Flexible Refuge Warning Sign - Orange, Without Reflective</b></p> <p>Material : TPU Height : 1000 mm  Body Width : 300 mm.  Base Width : 260 mm.  Weight : 3,40 Kg + 0,2</p>	
26		UT 2607	<p><b>Large Flexible Refuge Warning Sign - Black, with Reflective</b></p> <p>Material : TPU Height : 1000 mm  Body Width : 300 mm.  Base Width : 300 mm.  Weight : 3,40 Kg + 0,2</p>	
27		UT 2607WR	<p><b>Large Flexible Refuge Warning Sign -Black, without Reflective</b></p> <p>Material : TPU Height : 1000 mm  Body Width : 300 mm.  Base Width : 300 mm.  Weight : 3,40 Kg + 0,3</p>	

28		UT 2605	<p><b>Flexible Island Refuge Sign 1000 mm - Black, with Reflective</b></p> <p>Material : TPU, Micro Prismatic  Length : 1000 mm. Width : 200 mm.  Weight : 2,2 ± 0,2 kg</p>	
29		UT 2603	<p><b>Refuge Sign with Long Separator Base - With Reflective</b></p> <p>Base Material : Base PP, Body HDPE,  Stand TPU  Body: 1000 x 220 x 75 mm.  Base: 1000 x 220 x 50 mm.  Weight: 6 ± 0,1 kg</p>	
30		UT 2604	<p><b>Flexible Refuge Sign with Short Separator Base - With Reflective</b></p> <p>Base Material : Base PP / Body HDPE / Stand TPU  Body :1000 x 220 x 75 mm. Base : 440 x 220 x 50 mm.  Weight: 4,5 ± 0,1 kg</p>	
31		UT 2702	<p><b>Guide and Information Signs - With Reflective</b></p> <p>Material: Body PVC + Head cover ABS,  Micro Prismatic  Lateral profile sizes : 1000 x 150 X 75 mm</p>	
32		UT 2702 WR	<p><b>Guide and Information Signs - With - out Reflective</b></p> <p>Material: Body PVC + Head cover ABS,  Micro Prismatic  Lateral profile sizes : 1000 x 150 X 75 mm</p>	
33		UT 2704		
34		UT 2704 WR		
35		UT 2703	<p><b>Guide and Information Signs - With Reflective</b></p> <p>Material: Body PVC + Head cover ABS,  Micro Prismatic  Lateral profile sizes : 1750 x 150 X 75 mm</p>	

36		UT 2703 WR	<b>Guide and Information Signs - Without Reflective</b> Material: Body PVC + Head cover ABS, Micro Prismatic Lateral profile sizes : 1750 x 150 X 75 mm
37		UT 2701	<b>Poll Mounted Refuge Sign(Box-Type) - Reflective</b> Material : ABS, Micro Prismatic Sizes : 400X240X650 Weight : 2 ± 0,05 kg
38		UT 2153	<b>Flexible Delineator Post 1000 mm with Lane Separator Base</b> <b>Delineator</b> Material : TPU / Lane Separator material : PPC Separator Sizes : 1000 x 200 x 80 mm Weight: 5 ± 0,2 kg
39		UT 2151	<b>Flexible Delineator Post 750mm with Lane Separator Base</b> <b>Delineator</b> Material : TPU / Lane Separator material : PPC Separator Separator Sizes: 1000x200x80mm Weight: 4,5 ± 0,20 kg
40		UT 2152	<b>Flexible Delineator Post 450mm with Lane Separator Base</b> <b>Delineator</b> Material : TPU / Lane Separator material : PPC Separator Sizes : 1000 x 200 x 80 mm Weight: 4,1 ± 0,2 kg
41		UT 2131	<b>Lane Separator Base With Tempo Glass - Micro-Prismatic, Reflective</b> Glass Button Material : PPC /ABS /PE /PP Sizes : 1000 x 200 x 80 mm. Weight : 4,50 Kg ± 0,05 Kg
42		UT 2132	<b>Lane Separator Base - Micro-Prismatic, Reflective</b> Material : PPC /ABS /PE /PP Sizes : 1000 x 200 x 80 mm. Weight : 3,6 Kg ± 0,05 Kg
43		UT 2410	<b>Traffic Safety Road Lane Separators 900 mm</b> - TPU Demountable Delinator Post 1000 mm. - TPU Flexible Refuge Sign - PP Connector for flexible Refuje Sign - PP Connector for Delinator post - PP Lower base 200mm - Base 900 * 210 * H200 TOTAL weight : 8,20 ± 0,3 kg

44		UT 2411	<b>Traffic Safety Road Lane Separators 900 mm</b> - TPU Demountable Delinicator Post 750 mm. - PP Connector for Delinicator post - PP Lower base 200 mm - Base 900 * 210 * H200 TOTAL weight : 8 ± 0,3 kg	
45		UT 2412	<b>Traffic Safety Road Lane Separators 900 mm</b> - TPU Demountable Delinicator Post 450 mm. - PP Connector for Delinicator post - PP Lower base 200 mm - Base 900 * 210 * H200 TOTAL weight : 7,65 ± 0,3 kg	
46		UT 2135	<b>Traffic Safety Road Lane Separators 900 mm</b> - Glass Button Material - PP Lower base 200 mm - Base 900 * 210 * H200 TOTAL weight : 7,65 ± 0,3 kg	
47		UT 2136	<b>Traffic Safety Road Lane Separators 900 mm</b> - PP Lower base 200 mm - Base 900 * 210 * H200 TOTAL weight : 7 ± 0,3 kg	
48		UT 2510	<b>Flexible Delineator Post 750mm with Short Lane Separator Base</b> Delineator material: TPU Lane Separator material : PPC Separator Sizes : 440 x 220 x 50 mm Weight: 2,30 ± 0,1 kg	
49		UT 2511	<b>Flexible Delineator Post 450mm with Short Lane Separator Base</b> Delineator Material : TPU / Lane Separator material : PPC Separator Sizes: 440x220x50 mm Weight: 1,90 ± 0,1 kg	
50		UT 2520	<b>Flexible and Demountable Delineator Posts 1000mm (without base)</b> Material : TPU Top diameter : 80 mm. Weight : 1,2 ± 0,1 kg	
51		UT 2508	<b>Flexible and Demountable Delineator Posts 750mm (without base)</b> Material : TPU Top diameter : 80 mm. Weight : 1,00 ± 0,1 kg	
52		UT 2509	<b>Flexible and Demountable Delineator Posts 450mm (without base)</b> Material : TPU Top diameter : 80 mm. Weight : 0,65 ± 0,1 kg	
53		UT 5001	<b>Unbreakable Traffic Cone 500mm (without reflective sheeting)</b> Material : PVC Sizes : 285*500 mm Weight : 1,3 kg ± 0,2 kg	
54		UT 5002	<b>Unbreakable Traffic Cone 500mm (with single reflective sheeting)</b> Material : PVC Sizes : 285*500 mm Weight : 1,3 kg ± 0,2 kg	

55		UT 5000	<b>Unbreakable Traffic Cone 500mm (with 2 reflective sheeting)</b> Material : PVC Sizes : 285*500 mm Weight : 1,3 kg ± 0,2 kg	
56		UT 5040	<b>Hexagonal Traffic Cone - Double Reflective</b> Material : PVC Weight : 1,3 kg ± 0,1 kg Size: 520x360mm	
57		UT 5041	<b>Hexagonal Traffic Cone - Double Reflective</b> Material : PVC Weight : 1,7 kg ± 0,1 kg Size: 520x360mm	
58		UT 5003	<b>Unbreakable Traffic Cone 750mm (without reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 3,20 kg ± 0,2 kg	
59		UT 5004	<b>Unbreakable Traffic Cone 750mm (with single reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 3,20 kg ± 0,2 kg	
60		UT 5005	<b>Unbreakable Traffic Cone 750mm (with double reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 3,20 kg ± 0,2 kg	
61		UT 5014	<b>Unbreakable Traffic Cone 750mm (with 3 reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 3,20 kg ± 0,2 kg	
62		UT 5009	<b>ECO Unbreakable Traffic Cone 750mm (without reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 2 kg ± 0,2 kg	
63		UT 5010	<b>ECO Unbreakable Traffic Cone 750mm (with single reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 2 kg ± 0,2 kg	
64		UT 5011	<b>ECO Unbreakable Traffic Cone 750mm (with double reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 2 kg ± 0,2 kg	

65		UT 5016	<b>ECO Unbreakable Traffic Cone 750mm (with 3 Reflective sheeting)</b> Material : PVC Sizes : 385*750 mm Weight : 2 kg ± 0,2 kg	
66		UT 5018		
67		UT 5006	<b>Unbreakable Traffic Cone 900mm (without reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 3,6 kg ± 0,3 kg	
68		UT 5007	<b>Unbreakable Traffic Cone 900mm (with single reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 3,6 kg ± 0,3 kg	
69		UT 5008	<b>Unbreakable Traffic Cone 900mm (with 2 Reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 3,6 kg ± 0,3 kg	
70		UT 5017	<b>Unbreakable Traffic Cone 900mm (with 3 Reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 3,6 kg ± 0,3 kg	
71		UT 5035	<b>Unbreakable Traffic Cone 900mm (without reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 4,80 kg ± 0,1 kg	
72		UT5036	<b>Unbreakable Traffic Cone 900mm (with single reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 4,80 kg ± 0,1 kg	

73		UT5037	<b>Unbreakable Traffic Cone 900mm (with 2 Reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 4,80 kg ± 0,1 kg	
74		UT5038	<b>Unbreakable Traffic Cone 900mm (with 3 Reflective sheeting)</b> Material : PVC Sizes : 385*900 mm Weight : 4,80 kg ± 0,1 kg	
75		UT 5024	<b>ECO Plastic Cone 500mm (with reflective paint)</b> Material : PE Sizes : 285*500 mm Weight : 0,56 kg ± 0,1 kg	
76		UT 5025	<b>ECO Plastic Cone 500mm (with reflective and weighted base)</b> Material : PE Sizes : 285*500 mm Weight : 3,80 kg ± 0,1 kg	
77		UT 5050	<b>Elastomer Traffic Cone 500 mm (with single reflective sheeting)</b> Material : Elastomer Sizes : 385*380 mm Weight : 1,70 kg ± 0,15 kg	
78		UT 5051	<b>Elastomer Traffic Cone 750 mm (with single reflective sheeting)</b> Material : Elastomer Sizes : 385*380 mm Weight : 4 kg ± 0,15 kg	
79		UT5083	<b>Heavy Plastic Traffic Cone 500mm (with Weighted base )</b> Material :PP Base: Rubber Sizes : 360*360 mm Weight : 3,70 kg ± 0,1 kg	
80		UT5084	<b>Heavy Plastic Traffic Cone 500mm (with Weighted base )</b> Material :PP Base: Rubber Sizes :360*360 mm Weight : 3,70 kg ± 0,1 kg	
81		UT5085	<b>Heavy Plastic Traffic Cone 500mm (with Weighted base )</b> Material :PP Base: Rubber Sizes : 360*360 mm Weight : 3,70 kg ± 0,1 kg	



82		UT5080	<b>Heavy Plastic Traffic Cone 750mm</b> (with Weighted base ) Material :PP Base: Rubber Sizes : 420*420 mm Weight : 3,70 kg ± 0,1 kg	
83		UT5081	<b>Heavy Plastic Traffic Cone 750mm</b> (with Weighted base ) Material :PP Base: Rubber Sizes : 420*420 mm Weight : 3,70 kg ± 0,1 kg	
84		UT5082	<b>Heavy Plastic Traffic Cone 750mm</b> (with Weighted base ) Material :PP Base: Rubber Sizes : 420*420 mm Weight : 3,70 kg ± 0,1 kg	
85		UT5086	<b>Heavy Plastic Traffic Cone 1100 mm</b> (with Weighted base ) Material :PP Base: Rubber Sizes : 420*420 mm Weight : 5,2 kg ± 0,1 kg	
86		UT5087	<b>Heavy Plastic Traffic Cone 1100 mm</b> (with Weighted base ) Material :PP Base: Rubber Sizes : 420*420 mm Weight : 5,2 kg ± 0,1 kg	
87		UT5088	<b>Heavy Plastic Traffic Cone 1100 mm</b> (with Weighted base ) Material :PP Base: Rubber Sizes : 420*420 mm Weight : 5,2 kg ± 0,1 kg	
88		UT 5019	<b>Unbreakable Traffic Cone 750mm</b> (with Weighted base and (without Reflective Sheeting) Material : PVC Sizes : 490*490*50 mm Weight : 5,20 kg ± 0,2 kg	
89		UT 5028	<b>Unbreakable Traffic Cone 750mm</b> (With Weighted Base and Single Reflective Sheeting) Material : PVC Sizes : 490*490*50 mm Weight : 5,20 kg ± 0,2 kg	
90		UT 5013	<b>Unbreakable Traffic Cone 750mm</b> (With Weighted Base and 2 Reflective Sheeting) Material : PVC Sizes : 490*490*50 mm Weight : 5,20 kg ± 0,2 kg	

99		UT 5034	<p><b>Unbreakable Traffic Cone 900 mm</b> (With Weighted Base and 3 Reflective Sheeting) Material : PVC Sizes : 490*490*50 mm Weight : 5,60 kg ± 0,2 kg</p>	
100		UT 5020	<p><b>Advertising Cone with Reflective Cat Eyes (without weighted base)</b> Material : PPC-PE-PP / Color : Red - White Sizes : 350*500 mm Weight : 0,94 kg ± 0,1 kg</p>	
101		UT 5021	<p><b>Advertising Cone with Reflective Cat Eyes (with weighted base)</b> Material : PPC-PE-PP / Color : Red - White Sizes : 350*500 mm Weight : 4 kg ± 0,2 kg</p>	
102		UT 5022	<p><b>Advertising Cone with Reflective Cat Eyes (with Panel/without weighted base)</b> Material : PPC / Color : Red - White Sizes : 350*500 mm / Panel size : 350 * 410 mm Weight : 1,65 kg ± 0,1 kg</p>	
103		UT 5023	<p><b>Advertising Cone with Reflective Cat Eyes (with Panel and weighted base)</b> Material : PPC / Color : Red - White Sizes: 350*500 mm / Panel Sizes : 350*410 mm Weight: 4,7 kg</p>	
104		UT 2141	<p><b>Relocatable Caution Post (with weighted base)</b> Material : PP+PE Sizes : Ø110*1200 mm Weight : 11 kg ± 1 kg</p>	
105		UT 2142	<p><b>Relocatable Caution Post (with Rubber weighted base)</b> Material : PP+PE Sizes : Ø60*1200 mm Weight : 10 kg ± 1 kg</p>	
106		UT 2143		

91		UT 5029	<p><b>Unbreakable Traffic Cone 750mm</b>  (With Weighted Base and 3 Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 5,20 kg ± 0,2 kg</p>	
92		UT 5030	<p><b>Unbreakable Traffic Cone 750mm</b>  (with Weighted base and (without Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 4 kg ± 0,2 kg</p>	
93		UT 5031	<p><b>Unbreakable Traffic Cone 750mm</b>  (With Weighted Base and Single Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 4 kg ± 0,2 kg</p>	
94		UT 5032	<p><b>Unbreakable Traffic Cone 750mm</b>  (With Weighted Base and 2 Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 4 kg ± 0,2 kg</p>	
95		UT 5026	<p><b>Unbreakable Traffic Cone 750mm</b>  (With Weighted Base and 3 Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 4 kg ± 0,2 kg</p>	
96		UT 5027	<p><b>Unbreakable Traffic Cone 900 mm</b>  (with Weighted base and (without Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 5,60 kg ± 0,2 kg</p>	
97		UT 5033	<p><b>Unbreakable Traffic Cone 900 mm</b>  (With Weighted Base and Single Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 5,60 kg ± 0,2 kg</p>	
98		UT 5012	<p><b>Unbreakable Traffic Cone 900 mm</b>  (With Weighted Base and 2 Reflective Sheeting)  Material : PVC  Sizes : 490*490*50 mm  Weight : 5,60 kg ± 0,2 kg</p>	




107		UT 2144		
108		UT 6003	<b>Relocatable Caution Post -THIN (with hexagonal weighted base)</b> Material : PP+PE Sizes : Ø60*1000 mm Weight : 4,50 kg ± 0,5 kg	
109		UT 6008	<b>Relocatable Caution Post Post -THIN (with Rubber weighted base)</b> Material : PP+PE Sizes : Ø60*1000 mm Weight : 6,50 kg ± 0,5 kg	
110		UT 6004	<b>Short Warning and Advertising Post (with weighted base)</b> Material : PP+PE Sizes : Ø110*650 mm Weight : 10 kg ± 1 kg	
111		UT 6005	<b>Short Warning and Advertising Post (with Rubber weighted base)</b> Material : PP+PE Sizes : Ø110*650 mm Weight : 9 kg ± 0,5 kg	
112		UT 6006	<b>Short Warning and Advertising Post (with weighted base and Panel)</b> Material : PP+PE Sizes : Ø110*650 mm Panel Sizes: 350 * 410 mm Weight:10 kg ± 1 kg	
113		UT 6007	<b>Short Warning and Advertising Post (with Rubber weighted base and Panel)</b> Material : PP+PE Sizes : Ø110*650 mm / Panel Sizes: 350 * 410 mm Weight : 12 kg ± 1 kg	
114		UT 9020	<b>High Impact Speed Ramps - Yellow</b> Material : PPC / ABS / PE / PP Sizes : 350*250*50 mm Weight : 1,32 kg	
115		UT 9021	<b>High Impact Speed Ramps Header</b> Material : PPC / ABS / PE / PP Sizes : 10*250*50 mm Weight : 340 gr	

116		UT 9022	<b>High Impact Speed Ramps - Black</b> Material : PPC /ABS /PE /PP Sizes : 350*250*50 mm Weight : 1,32 kg 4+4	
117		UT 9023	<b>High Impact Speed Ramps Header</b> Material : PPC Sizes : 10*250*50 mm Weight : 340 gr	
118		UT 9028	<b>Oval Speed Ramps - Yellow</b> Material : PPC /ABS /PE /PP Sizes : 300*333*40 Weight : 1,1 kg ± 0,05 kg	
119		UT 9029	<b>Oval Speed Ramps header - Yellow</b> Material : PPC /ABS /PE /PP Sizes : 10*30*40 Weight : 0,25 kg ± 0,05 kg	
120		UT 9030	<b>Oval Speed Ramps- Black</b> Material : PPC /ABS /PE /PP Sizes : 300*333*40 Weight : 1,1 kg ± 0,05 kg	
121		UT 9031	<b>Oval Speed Ramps Header - Black</b> Material : PPC /ABS /PE /PP Sizes : 10*30*40 Weight : 0,250 kg ± 0,05 kg	
122		UT 2111	<b>Speed Ramps 500mm - Yellow</b> Body Material : PPC /PE /PP Sizes : 500*500*45 mm Weight : 3,30 kg ± 0,10 kg	
123		UT 2112	<b>Speed Ramps 500 mm - Yellow</b> Header Material : PPC /PE /PP Sizes : 500*250*45 mm Weight : 1,1 kg ± 0,10 kg	
124		UT 2113	<b>Speed Ramps 500 mm - Black</b> Body Material : PPC/PE/PP Sizes : 500*500*45 mm Weight : 3,30 kg ± 0,10 kg	
125		UT 2114	<b>Speed Ramps 500mm - Black</b> Header Material : PPC/PE/PP Sizes : 500*250*45 mm Weight : 1,1 kg ± 0,10 kg	
126		UT 9006	<b>Rubber Speed Ramps 300mm (with 2 reflectors)</b> Material : NR/SBR Sizes (L*w*h) : 300*330*40 mm Weight : 3,50 kg ± 0,1 kg	
127		UT 9007	<b>Rubber Speed Ramp Header 300mm</b> Material : NR/SBR Sizes (L*w*h) : 300*150*40 mm Weight : 1 kg ± 0,5 kg	
128		UT 9004	<b>Rubber Speed Ramps 400mm (with 2 reflectors)</b> Material : NR/SBR Sizes (L*w*h) : 400*500*45 mm Weight : 6,5 kg ± 0,2 kg	
129		UT 9005	<b>Rubber Speed Ramp Header 400mm</b> Material : NR/SBR Sizes (L*w*h) : 400*250*45 mm Weight : 2,5 kg ± 0,2 kg	
130		UT 9002	<b>Rubber Speed Ramp Body 500mm (with 4 reflectors)</b> Material : NR/SBR Sizes (L*w*h) : 500*500*45 mm Weight : 7,5 kg ± 0,5 kg	

131		UT 9003	<b>Rubber Speed Ramp Header 500mm</b> Material : NR/SBR Sizes (L*w*h) : 500*300*45 mm Weight : 3 kg ± 0,1 kg	
132		UT 9000	<b>Rubber Speed Ramp Body 600mm (with 6 reflectors)</b> Material : NR/SBR Sizes (L*w*h) : 600*500*45 mm Weight : 9 kg ± 0,2 kg	
133		UT 9001	<b>Rubber Speed Ramp Header 600mm</b> Material : NR/SBR Sizes (L*w*h) : 600*300*45 mm Weight : 3,5 kg ± 0,2 kg	
134		UT 9008	<b>Rubber Speed Ramp Body 900mm (with 8 reflectors)</b> Material : NR/SBR Sizes (L*w*h) : 90*50*6 cm Weight : 16 kg ± 0,2 kg	
135		UT 9011		
136		UT 9009	<b>Rubber Speed Ramp Header</b> Material : NR / SBR Sizes : (L*w*h) : 90*40*4,5 cm Weight : 7,90 kg ± 0,2 kg	
137		UT 9010	<b>Rubber Speed Ramp Body 900mm ( Crosswalk Model ) (with 8 reflectors)</b> Material : NR/SBR Sizes (L*w*h) : 90*50*7 cm Weight : 16 kg ± 0,2 kg	
138		UT 9009	<b>Rubber Speed Ramp Header</b> Material : NR / SBR Sizes : (L*w*h) : 90*40*4,5 cm Weight : 7,90 kg ± 0,2 kg	
139		UT 3200	<b>Road Stud (Oval Shape)</b> 200*120*30 mm Material : PPC / PE / PP Reflective : Cat Eyes Weight : 200 gr	
140		UT 2121	<b>Mini Road Stud - 128*88*30 mm</b> Material : PPC / PE / PP Reflective : Swareflex 7 x 4 Glass beads, Weight : 160 gr	
141		UT 2122	<b>Solar / Road Marking Button</b> Material: AL Size: 2.8x12.5x15 cm Weight: 0.42 kg ± 0.20 "	
142		UT 3204	<b>Flexible lane Divider (Flap) - Montage with epoxy</b> Material : TPU, Micro-Prismatic Sizes : 120 x 140 x 260 mm. Weight : 0,60 Kg ± 0,05 Kg	
143		UT 3203	<b>Lane Divider Road Stud with Micro-Prismatic Reflective</b> Material : PPC / ABS / PE / PP Sizes : 160 x 260 x 40 mm Weight : 0,85 Kg ± 0,05	

144		UT 3202	<p><b>Flexible Lane Divider -</b> Micro-Prismatic Reflective Material : ABS + TPU Sizes : 160 x 260 x 280 mm Weight : 1,45 Kg ± 0,05 Kg</p>	
145		UT 2133	<p><b>Rubber Car Stoper - Short</b> Dimensions: 60*12*10 Weight:4 Kg Features: 1-Reflective Sheeting with high visibility 2-Ensures safe stopping and reduces the risk of accidents.</p>	
146		UT 2134	<p><b>Rubber Car Stoper - Long</b> Dimensions: 183 * 15*10 cm Weight:15 Kg Features : 1- Reflective Sheeting with high visibility 2-Ensures safe stopping and reduces the risk of accidents.</p>	
147		UT 7005	<p><b>Parking Corner Protectors with Reflective (Oval Type)</b> Material : PVC Sizes : 90x80x 780 mm ( + 5mm ) Weight : 1,9 kg (± 0,1) Features : Shock-absorbing, flexible, high visibility through strong retroreflectivity</p>	
148		UT 7006	<p><b>Parking Corner Protectors with Reflective (Flat Type)</b> Material : PVC Sizes : 90 x 80 x 780 mm ( + 5mm ) Weight : 1,9 kg (± 0,1) Features: Shock-absorbing, flexible, high visibility through strong retroreflectivity</p>	
149		UT 7007	<p><b>Parking Corner Protectors with Reflective (Flat Type)</b> Material : NR / SBR Sizes : 120 x 120 x 800 mm ( + 5mm ) Weight : 2,6 kg (± 0,1) Features: Shock-absorbing, flexible, high visibility through strong retroreflectivity</p>	
150		UT 7008	<p><b>Parking Corner Protectors with Reflective (Flat Type)</b> Material : NR / SBR Sizes : 90 x 80 x 780 mm ( + 5mm ) Weight : 2,60 kg (± 0,1) Features: Shock-absorbing, flexible, high visibility through strong retroreflectivity</p>	
151		UT 8001	<p><b>Convex Traffic Mirrors 600 mm</b> Material: PP Mirror Lens: Acrylic Weight:3 kg</p>	
152		UT 8002	<p><b>Convex Traffic Mirrors 800 mm</b> Material: PP Mirror Lens: Acrylic Weight:6,3 kg</p>	
153		UT 2440	<p><b>Plastic Safety Barriers</b> Material: PPC / PVC Dimensions:H100*150*50 cm Weight: 12 Kg</p>	

154		UT2440 C	<b>Plastic Safety Barriers</b> Material: PPC / PVC Dimensions:H100*150*50 cm Weight: 12 Kg
155		UT 2441	<b>Plastic Safety Barriers With Printed Panel</b> Material: PPC / PVC Dimensions:H100*150*50 cm Weight: 12 Kg
156		UT 2442	<b>Caution Post Barriers</b> Material: PPC / PVC Dimensions:H120*175 cm Weight: 30 Kg ± 0,2
157		UT 2456	<b>Caution Post Barriers</b> Material: PPC / PVC Dimensions:H120*175 cm Weight: 30 Kg
158		UT2446	<b>Caution Post Barriers - Short Panel</b> Material: PPC / PVC Dimensions:H120*175 cm Weight: 30 Kg
159		UT2457	<b>Caution Post Barriers - Short Panel Rubber Base</b> Material: PPC / PVC Dimensions:H120*175 cm Weight: 30 Kg
160		UT 2449	
161		UT 2443	<b>Barrier Panel Sing - With Print</b> Sizes : 150x75 cm
162		UT 2444	<b>Barrier Panel Sing - Without Print</b> Sizes : 150x75 cm
163		UT 2445	<b>Panel Holder For Caution Posts</b>

164		UT 2447	<b>Barrier Panel Sing Short Panel - With Print</b> Sizes :150x31,5 cm	
165		UT 2448	<b>Barrier Panel Sing Short Panel - Without Print</b> Sizes :150x31,5 cm	
166		UT 2450	<b>Water Filled Barriers 120*50*H50 cm</b> Material: UV-Resistant Polyethylen Weight: 10 Kg	
167		UT 2451	<b>Water Filled Barriers 150*50*H50 cm</b> Material: UV-Resistant Polyethylen Weight: 14 Kg	
168		UT 2452	<b>Water Filled Barriers 120*50*H80 cm</b> Material: UV-Resistant Polyethylen Weight: 15 Kg	
169		UT 7001	<b>Tactile Walking Surface Indicator-Attention Point type ( 49 pcs)</b> Material : TPU Sizes : 25(dia) * 5mm(h)	
170		UT 7002	<b>Tactile Walking Surface Indicator-Guiding Stripe type ( 7 pcs)</b> Material: TPU Sizes(*w*h) : 280*35*5 mm	
171		UT 7003	<b>Tactile Walking Surface Indicator-Attention type (without Adhesive)</b> Material : TPU Sizes(*w*h) : 40*40*8 mm Weight: 0,65 Kg	
172		UT 7004	<b>Tactile Walking Surface Indicator-Guiding type (without Adhesive)</b> Material: TPU Sizes(*w*h) : 400*400*8 mm Weight: 0,65 Kg	
173		UT 2900	<b>Round Warning Sign (empty)</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg	
174		UT 2901	<b>No Parking Sign</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg	
175		UT 2904	<b>Entry Prohibited</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg	

176		UT 2905	<b>Stop</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg
177		UT 2912	<b>Speed Limit 20</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg
178		UT 2907	<b>Speed Limit - 30 km</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg
179		UT 2908	<b>Speed Limit - 50 km</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg
180		UT 2902	<b>Mandatory Direction Turn Left (Double-faced)</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg
181		UT 2903	<b>Mandatory Direction Turn Right (Double-faced)</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg
182		UT 2910	<b>Mandatory Direction Turn Left ahead</b> Material : PP Diameter : 280 mm Height: 390mm Weight: 0,25 Kg
183		UT 2906	<b>No Passing</b> Material : PP Diameter : 280 mm Height : 390mm Weight: 0,25 Kg
184		UT 2909	<b>Keep Right Ahead</b> Material : PP Diameter : 280 mm Height : 390mm Weight: 0,25 Kg
185		UT 2911	<b>Keep Left Ahead</b> Material : PP Diameter : 280 mm Height : 390mm Weight: 0,25 Kg
186		UT 2800	<b>Triangle Warning Sign (empty)</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg
187		UT 2801	<b>Road Narrows on Both Sides</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg

188		UT 2802	<b>Road Narrows From Right Side</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg	
189		UT 2803	<b>Road Narrows From Left Side</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg	
190		UT 2804	<b>Two-way traffic ahead</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg	
191		UT 2805	<b>Attention ( Double - Faced )</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg	
192		UT 2806	<b>Speed Bump ahead ( Double - Faced )</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg	
193		UT 2807	<b>Road Work</b> Material : PP Diameter : 380 mm Height : 430 mm Weight: 0,38 Kg	
194		UT 4050	<b>Rectangular Sign (empty)</b> Material : PP Diameter : 350 * 410 mm Height : 540 mm Weight: 0,64 Kg	
195		UT4051	<b>Keep Left Ahead</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
196		UT4059	<b>Keep Right Ahead</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
197		UT4058	<b>Two-way traffic</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	

198		UT4054	<b>Two-way traffic</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
199		UT4052	<b>Road Narrows From Right Side</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
200		UT4053	<b>Road Narrows From Left Side</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
201		UT4055	<b>Attention</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
202		UT4056	<b>No Passing</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
203		UT4057	<b>Road Work</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
204		UT4060	<b>Speed Limit - 30 km</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
205		UT4062	<b>Disabled Parking Space</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	
206		UT4061	<b>Dangerous bend</b> Material : PP Diameter : 350 mm Height : 410mm Weight: 0,64 Kg	

207		UT 4000	<b>Caution Wet Floor Sign - without Print</b> Material : HIPS Height : 630 mm. Width (top) : 215 mm. Width (bottom) : 340 mm. Weight : 1 kg +0,1 kg	
208		UT 4001	<b>Caution Wet Floor Sign - with Print</b> Material : HIPS Height : 630 mm. Width (top) : 215 mm. Width (bottom) : 340 mm. Weight : 1 kg +0,1 kg	
209		UT 2101	<b>Solar Warning Light - Yellow</b> Material : PC + ABS Sizes : 95 * 240* 280 mm Weight : 800 gr	
210		UT 2102	<b>Solar Warning Light - RED</b> Material : PC + ABS Sizes : 95 * 240* 280 mm Weight : 800 gr	
211		UT 3110	<b>Plastic Traffic Chain 8 mm (Red and White)</b> Material : PP / PE /PP Diameter : 8mm (1 meter )	
212		UT 3111	<b>Plastic Traffic Chain 8 mm (Yellow and Black)</b> Material : PP / PE /PP Diameter : 8mm (1 meter )	
213		UT 3120	<b>Plastic Traffic Chain 6 mm (Red and White)</b> Material : PP / PE /PP Diameter : 6mm (1 meter )	
214		UT 3121	<b>Plastic Traffic Chain 6mm (Yellow and Black)</b> Material : PP / PE /PP Diameter : 6mm (1 meter )	
215		UT 3115	<b>Warning Tape</b> Sizes : 60mm * 250 Metre	
216		UT 3118	<b>Warning Tape</b> Sizes : 60mm * 500 Metre	
217		UT 3000	<b>Panel Connection tool</b> Material : DKP Galvanized Steel with M8*15 Geomet coated bolts	
218		UT 3101	<b>Delineator Connection Adapter (Dia 70mm)</b> Material : PP Diameter : 70 mm	
219		UT 3103	<b>Delineator Connection Adapter (Dia 80mm)</b> Diameter : 80 mm.	
220		UT 3112	<b>Traffic Cone Adapter</b> (For installing Warning and Ad Signs, Panels and Solar Warning Lights)	
221		UT 3102	<b>Cone Handle</b> Material : PP	

222		UT 3116	<b>Traffic Cone Weighted Base 2 KG</b> Material : PVC Weight : 2 kg + 0,20 kg	
223		UT 3126	<b>Traffic Cone Weighted Base 3 KG</b> Material : PVC Weight : 3 kg + 0,20 kg	
224		UT 3104	<b>Ad Cone and Warning Post Weighted base</b> Material : PP Sizes (L*h) : 330*50 Weight : 3 kg ±0,2 kg	
225		UT 3106	<b>Weighted base for Caution Post</b> Material : PP Weight : 9,291 kg + 0,5 kg	
226		UT 3108	<b>Weighted base for Thin Caution Post</b> Material : PP Weight : 3,548 kg + 0,5 kg	
227		UT 3107	<b>Rubber Weighted base for Warning Post</b> Material : SBR Rubber Weight : 8,538 kg + 0,5 kg	
228		UT 3117	<b>Rubber Weighted base for Warning Post -THIN</b> Material : NR/SBR Shape : Round Weight : 5,490 kg + 0,3 kg	
229		UT 3105	<b>Installation Set ( Ø16 Plastic Anchor + washer + screw)</b> Material : PP + Steel Length : 100 mm. Diameter : 10 mm.	
230		UT 3100	<b>Ø16 Plastic Anchor</b> Material : PP Length : 90 mm. Diameter : 16 mm.	
231		UT 3109	<b>Screw 10*100</b> Material : Steel Length : 100 mm Diameter : 10 mm	